

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

1 Identification

- Product identifier
- Trade name: Nose Putty
- Article number: 01400/00
- Relevant identified uses of the substance or mixture and uses advised against
No further relevant information available.
- Application of the substance / the mixture
Cosmetic Product
make-up artist supplies
- Details of the supplier of the safety data sheet
- Manufacturer/Supplier:
Kryolan Australia
86 Woodlands Drive
Braeside VIC 3195
Australia
Ph: +61 3 9580 8122
- Information department:
Section Productsafety
info@kryolan.de
- Emergency telephone number:

Ph: +61 3 9580 8122

2 Hazard(s) identification

- Classification of the substance or mixture



Skin Sens. 1 H317 May cause an allergic skin reaction.

- Label elements
- GHS label elements
The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



GHS07

- Signal word Warning
- Hazard-determining components of labeling:
Rosin
- Hazard statements
H317 May cause an allergic skin reaction.
- Precautionary statements
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P272 Contaminated work clothing must not be allowed out of the workplace.
P280 Wear protective gloves.
P302+P352 If on skin: Wash with plenty of water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment (see on this label).

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 1)

- P363 Wash contaminated clothing before reuse.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:
 - NFPA ratings (scale 0 - 4)
 Health = 0
 Fire = 1
 Reactivity = 0
 - HMIS-ratings (scale 0 - 4)
 Health = 0
 Fire = 1
 Reactivity = 0
 - Other hazards
 - Results of PBT and vPvB assessment
 - PBT: Not applicable.
 - vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

- Dangerous components:

8050-09-7	Rosin
1314-13-2	zinc oxide
57-11-4	stearic acid, pure
8002-74-2	Paraffin waxes and Hydrocarbon waxes

- Ungefährliche Inhaltsstoffe:

8012-89-3	Beeswax
8002-03-7	Arachis Hypogaea (Peanut) Oil
57-10-3	Palmitic acid
34316-64-8	Hexyl Laurate
63231-60-7	Paraffin waxes and Hydrocarbon waxes,microcryst.

4 First-aid measures

- Description of first aid measures
- After inhalation:
 Supply fresh air and to be sure call for a doctor.
 In case of unconsciousness place patient stably in side position for transportation.
- After skin contact:
 Immediately wash with water and soap and rinse thoroughly.
 Wash off with water and soap.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing:
 Seek medical treatment in case of complaints.
 Purge mouth and drink plenty of water in small swallows. Do not force vomiting
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 2)

- Indication of any immediate medical attention and special treatment needed
No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO₂, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
Wear self-contained respiratory protective device.
no special conditions required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
- Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

· PAC-1:

8050-09-7	Rosin	72 mg/m ³
1314-13-2	zinc oxide	10 mg/m ³
57-11-4	stearic acid, pure	14 mg/m ³
57-10-3	Palmitic acid	0.19 mg/m ³
9002-88-4	Polyethylene low density	16 mg/m ³

· PAC-2:

8050-09-7	Rosin	790 mg/m ³
1314-13-2	zinc oxide	15 mg/m ³
57-11-4	stearic acid, pure	150 mg/m ³
57-10-3	Palmitic acid	2.1 mg/m ³
9002-88-4	Polyethylene low density	170 mg/m ³

· PAC-3:

8050-09-7	Rosin	1,500 mg/m ³
1314-13-2	zinc oxide	2,500 mg/m ³
57-11-4	stearic acid, pure	910 mg/m ³
57-10-3	Palmitic acid	12 mg/m ³
9002-88-4	Polyethylene low density	1,000 mg/m ³

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 3)

7 Handling and storage

- Handling:
 - Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
 - Information about protection against explosions and fires: No special measures required.
- Conditions for safe storage, including any incompatibilities
- Storage:
 - Requirements to be met by storerooms and receptacles: No special requirements.
 - Information about storage in one common storage facility: Store away from foodstuffs.
 - Further information about storage conditions: None.
 - Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- Control parameters

- Components with limit values that require monitoring at the workplace:

8050-09-7 Rosin	
TLV	Long-term value: 0.001* mg/m ³ *inhalable fraction, DSEN, RSEN
1314-13-2 zinc oxide	
PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction and fume
REL	Short-term value: 10** mg/m ³ Long-term value: 5 mg/m ³ Ceiling limit value: 15* mg/m ³ *dust only **fume
TLV	Short-term value: 10* mg/m ³ Long-term value: 2* mg/m ³ *as respirable fraction
57-11-4 stearic acid, pure	
TLV	Long-term value: 10* 3** mg/m ³ *inhalable, **respirable particulate matter, *A4
8002-74-2 Paraffin waxes and Hydrocarbon waxes	
REL	Long-term value: 2 mg/m ³
TLV	Long-term value: 2 mg/m ³

- Additional information: The lists that were valid during the creation were used as basis.
- Exposure controls
- Personal protective equipment:
 - General protective and hygienic measures:
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Breathing equipment:
 - In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 4)

- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- Eye protection: Not required.

9 Physical and chemical properties

- Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Solid
Color:	Brown
· Odor:	Characteristic
· Odor threshold:	Not determined.

- pH-value: Not applicable.

- Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	271 °C (519.8 °F)

- Flash point: >93 °C (>199.4 °F)

- Flammability (solid, gaseous): Not determined.

- Ignition temperature: >300 °C (>572 °F)

- Decomposition temperature: Not determined.

- Auto igniting: Product is not selfigniting.

- Danger of explosion: Product does not present an explosion hazard.

- Explosion limits:

Lower:	Not determined.
Upper:	Not determined.

- Vapor pressure at 174 °C (345.2 °F): 1.5 hPa (1.1 mm Hg)

- Density: Not determined.
- Relative density: Not determined.
- Vapor density: Not applicable.
- Evaporation rate: Not applicable.

(Contd. on page 6)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 5)

· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	0.00 %
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

- LD/LC50 values that are relevant for classification:

1314-13-2 zinc oxide

Oral LD50 >5,000 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

9002-88-4 Polyethylene low density

3

128-37-0 Butylated hydroxytoluene

3

- NTP (National Toxicology Program)

None of the ingredients is listed.

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 6)

12 Ecological information

- Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods
- Recommendation:
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

- UN "Model Regulation": Void

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
No further relevant information available.
- Sara

- Section 355 (extremely hazardous substances):

None of the ingredients is listed.

- Section 313 (Specific toxic chemical listings):

1314-13-2 zinc oxide

- TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

- Hazardous Air Pollutants

None of the ingredients is listed.

- Proposition 65

- Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 7)

- Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories

- EPA (Environmental Protection Agency)

1314-13-2 zinc oxide

D, I, II

- TLV (Threshold Limit Value)

128-37-0 Butylated hydroxytoluene

A4

- NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- Hazard pictograms



GHS07

- Signal word Warning

- Hazard-determining components of labeling:

Rosin

- Hazard statements

H317 May cause an allergic skin reaction.

- Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves.

P302+P352 If on skin: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see on this label).

P363 Wash contaminated clothing before reuse.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Section Product Safety

- Contact:

-

Lars Köppling

Email: l.koeppling@kryolan.com

- Date of preparation / last revision 05/11/2022 / -

- Abbreviations and acronyms:

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 9)

US

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/05/2022

Version: 1

Reviewed on 11/05/2022

Trade name: Nose Putty

(Contd. of page 8)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Sens. 1: Skin sensitisation – Category 1

· * Data compared to the previous version altered.

US