GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking • 1.1 Product identifier · Trade name: Spirit Gum · Article number: 02001, 02002, 02003, 02004 · 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. · Application of the substance / the mixture make-up artist supplies Adhesives · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kryolan Australia 86 Woodlands Drive Braeside VIC 3195 Ph: +61 3 9580 8122 · Further information obtainable from: Section Product Safety info@kryolan.de · 1.4 Emergency telephone number: Ph: +61 3 9580 8122 SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS02 GHS07 · Signal word Danger · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. (Contd. on page 2)

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

Trade name: Spirit Gum

of page 1)
No
with
es, if
nal

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

Dungerous components.			
CAS: 64-17-5 EINECS: 200-578-6 Index number: 603-002-00-5	ethanol	 Flam. Liq. 2, H225 Eye Irrit. 2, H319 	30-60%
\cdot Not dangerous substances:			
CAS: 9000-14-0	natural resin of vegetable origin		
	Harzester /Resin ester		
CAS: 78-93-3	butanone		0.1-<1%
EINECS: 201-159-0	🚸 Flam. Liq. 2, H225		
Index number: 606-002-00-3	() Eye Irrit. 2, H319; STOT SE 3, H336		
. Additional information: For	the wording of the listed begard phrases ref	for to contion 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- \cdot 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.
- Wash off with water and soap.
- \cdot After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Seek medical treatment in case of complaints.

Purge mouth and drink plenty of water in small swallows. Do not force vomiting

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

(Contd. of page 2)

Trade name: Spirit Gum

- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment:
 - Wear self-contained respiratory protective device.
- no special conditions required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

 \cdot 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling No special precautions are necessary if used correctly.

- · Information about fire and explosion protection:
- Keep ignition sources away Do not smoke.
- Protect against electrostatic charges.
- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- \cdot Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

(Contd. of page 3)

Trade name: Spirit Gum

\cdot Ingredients with limit values that require monitoring at the workplace:	

64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from food, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- \cdot General Information
- Appearance:

ng to product specification
eristic
rmined.
mined.
(Contd. on page 5)
2

Printing date 11.05.2022	Version: 4	Revision: 04.04.2022
Frade name: Spirit Gum		
		(Contd. of page 4
· Flammability (solid, gas):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto-ignition temperature:	Product is not selfigniting.	
• Explosive properties:	Product is not explosive. However, for vapour mixtures are possible.	mation of explosive air/
• Explosion limits: Lower: Upper:	3.5 Vol % 15 Vol %	
• Vapour pressure at 20 °C:	59 hPa	
 Density at 20 °C: Relative density Vapour density Evaporation rate 	0.98072-0.98073 g/cm ³ Not determined. Not determined. Not determined.	
• Solubility in / Miscibility with water:	Not miscible or difficult to mix.	
· Partition coefficient: n-octanol/water:	Not determined.	
• Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
 Solvent content: Organic solvents: VOC (EC) 	44.2 % 44.22 %	
Solids content:	51.7 %	
• 9.2 Other information	No further relevant information availab	le.

SECTION 10: Stability and reactivity

- \cdot 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- \cdot 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- \cdot 11.1 Information on toxicological effects
- \cdot Acute toxicity Based on available data, the classification criteria are not met.
- \cdot Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 6)

GB

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

Trade name: Spirit Gum

(Contd. of page 5)

 \cdot Additional toxicological information:

 \cdot CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

 \cdot Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

 \cdot STOT-repeated exposure $\,$ Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- \cdot General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

- \cdot Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informat	ion
· 14.1 UN-Number · ADR, IMDG, IATA	UN1993
• 14.2 UN proper shipping name	
· ADR	1993 FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHY
	ALCOHOL)), special provision 640D
· IMDG	FLAMMABLE LIQUID, N.O.S. (ETHANOL (ETHYL
	ALCOHOL))
·IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
	(Contd. on page 7)

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

Trade name: Spirit Gum

	(Contd. of page
· 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
· 14.4 Packing group	
· ADR, IMDG, IATA	II
• 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E, <u>S-E</u>
Stowage Category	В
14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
•	זיטו מאטורמטוב.
Transport/Additional information:	
ADR	11
· Limited quantities (LQ)	1L Code: E2
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· Transport category	2
• Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL
-	PROVISION 640D (ETHANOL (ETHYL ALCOHOL)),
	II

SECTION 15: Regulatory information

 \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

 \cdot Named dangerous substances - ANNEX I $\,$ None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 8)

GB

Printing date 11.05.2022

Version: 4

Revision: 04.04.2022

Trade name: Spirit Gum

(Contd. of page 7)

SECTION 16: Other information	
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.	
 Relevant phrases H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. 	
 Department issuing SDS: Section Product Safety Contact: 	
 Lars Köppling Email: l.koeppling@kryolan.com Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eve Irrit 2: Serious eve damage/eve irritation – Category 2 	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 • * Data compared to the previous version altered.	