REFESSIONAL MAKE-UP

Safety data sheet

according to 1907/2006/EC, Article 31 Version: 4 Printing date 11.05.2022 Revision: 11.05.2022 SECTION 1: Identification of the substance/mixture and of the company/undertaking • 1.1 Product identifier · Trade name: Brush Cleaner · Article number: 03490, 03491, 03493, 03494 · 1.2 Relevant identified uses of the substance or mixture and uses advised against Avoid contact with mucous membranes and eyes Do not applicable to Hair, Skin, Eyes or Mucos Areas. · Application of the substance / the mixture make-up artist supplies Organic solvent · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: Kryolan Australia 86 Woodlands Drive Braeside VIC 3195 Australia Ph: +61 3 9580 8122 · Further information obtainable from: Section Product Safety info@kryolan.de · 1.4 Emergency telephone number: Ph: +61 3 9580 8122 **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 2 H225 Highly flammable liquid and vapour. Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness. Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS02 GHS07

· Signal word Danger

(Contd. on page 2)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

	(Contd. of pag
	ning components of labelling:
2-Propanol	
Hazard stateme	nts
	ammable liquid and vapour.
H319 Causes se	erious eye irritation.
	e drowsiness or dizziness.
H412 Harmful t	to aquatic life with long lasting effects.
Precautionary s	tatements
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P243	Take action to prevent static discharges.
P273	Avoid release to the environment.
P303+P361+P3	53 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P3	38 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	rmation:
Keep out of the	reach of children
2.3 Other hazar	ds
Results of PBT	and vPvB assessment
PBT: Not appli	
vPvB: Not appl	icable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

 \cdot Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 67-63-0	2-Propanol	80-100%
EINECS: 200-661-7	🚸 Flam. Liq. 2, H225	
Index number: 603-117-00-0	🚯 Eye Irrit. 2, H319; STOT SE 3, H336	
	(Co	ontd. on page 3

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

CAS: 64742-49-0	Naphtha (petroleum), hydrotreated light	Contd. of page 2.5-<5%
EINECS: 265-151-9	 Flam. Liq. 2, H225 	-
Index number: 650-001-01-8	& Asp. Tox. 1, H304	
	🚯 Aquatic Chronic 2, H411	
	🚯 Acute Tox. 4, H302; Skin Irrit. 2, H315; STOT SE 3, H336	
CAS: 109-66-0	pentane	2.5-<5%
EINECS: 203-692-4	Flam. Liq. 2, H225	
Index number: 601-006-00-1	Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411 STOT SE 3, H336	
		0.05 (10)
CAS: 110-54-3	n-hexane	_ 0.25-<1%
EINECS: 203-777-6	Flam. Liq. 2, H225	
Index number: 601-037-00-0	Repr. 2, H361f; STOT RE 2, H373; Asp. Tox. 1, H304	
	Aquatic Chronic 2, H411	
• Additional information: For	🚯 Skin Irrit. 2, H315; STOT SE 3, H336	

SECTION 4: First aid measures

- \cdot 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:
- Immediately rinse with water.
- Wash off with water and soap.
- \cdot After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing:
- Rinse out mouth and then drink plenty of water.
- Seek medical treatment in case of complaints.
- Purge mouth and drink plenty of water in small swallows. Do not force vomiting
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- no special conditions required.

SECTION 6: Accidental release measures

- \cdot 6.1 Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- · 6.2 Environmental precautions:
- Do not allow product to reach sewage system or any water course.

(Contd. on page 4)

⁻ GI

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

(Contd. of page 3)

Trade name: Brush Cleaner

Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

• 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

• Information about storage in one common storage facility: Store away from foodstuffs.

• Further information about storage conditions: Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design of technical facilities: No further data; see item 7.

· Ingredients with limit values that require monitoring at the workplace:

67-63-0 2-Propanol

WEL Short-term value: 1250 mg/m³, 500 ppm

Long-term value: 999 mg/m³, 400 ppm

109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

110-54-3 n-hexane

WEL Long-term value: 72 mg/m³, 20 ppm

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

Keep away from food, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 5)

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

(Contd. of page 4) · Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. · Protection of hands: Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Protective gloves The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection: Tightly sealed goggles

SECTION 9: Physical and chemica	al properties
 9.1 Information on basic physical and che General Information Appearance: Form: 	emical properties Fluid
Colour: • Odour: • Odour threshold:	According to product specification Characteristic Not determined.
· pH-value at 20 °C:	7
 Change in condition Melting point/freezing point: Initial boiling point and boiling range: 	Undetermined. 82 °C
· Flash point:	13 °C
· Flammability (solid, gas):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not selfigniting.
• Explosive properties:	Product is not explosive. However, formation of explosive air/ vapour mixtures are possible.
• Explosion limits: Lower:	2 Vol %
	(Contd. on page 6)

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

	(Contd. of pag	ge 5)
Upper:	12 Vol %	
• Vapour pressure at 20 °C:	43 hPa	
· Density:	Not determined.	
\cdot Relative density	Not determined.	
\cdot Vapour density	Not determined.	
\cdot Evaporation rate	Not determined.	
\cdot Solubility in / Miscibility with		
water:	Fully miscible.	
\cdot Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	100.0 %	
VOC (EC)	100.00 %	
Solids content:	0.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

 \cdot 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:				
ATE (Acute Toxicity Estimates)				
Oral	LD50	46,218 mg/kg (rat)		
67-63-0 2-	67-63-0 2-Propanol			
Oral	LD50	5,045 mg/kg (rat)		
Dermal	LD50	50 12,800 mg/kg (rabbit)		
Inhalative LC50/4 h 30 mg/l (rat)				
64742-49-0	64742-49-0 Naphtha (petroleum), hydrotreated light			
Oral	Oral LD50 2,000 mg/kg (rat)			
 Primary irritant effect: Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Causes serious eye irritation. 				

(Contd. on page 7)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

(Contd. of page 6)

Trade name: Brush Cleaner

• Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause drowsiness or dizziness.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- Harmful to aquatic organisms
- · 12.5 Results of PBT and vPvB assessment
- PBT: Not applicable.
- · vPvB: Not applicable.
- \cdot 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

 \cdot Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, IMDG, IATA	UN1993
 • 14.2 UN proper shipping name • ADR 	1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), PENTANES), special
· IMDG, IATA	provision 640D FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHOL), PENTANES)

Printing date 11.05.2022

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

	(Contd. of page
• 14.3 Transport hazard class(es)	
ADR, IMDG, IATA	
· Class	3 Flammable liquids.
· Label	3
14.4 Packing group	
ADR, IMDG, IATA	II
• 14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user	Warning: Flammable liquids.
Hazard identification number (Kemler code):	33
EMS Number:	F-E, <u>S-E</u>
· Stowage Category	В
• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
· Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
-	Maximum net quantity per outer packaging: 500 ml
• Transport category	2 D/F
• Tunnel restriction code	D/E
· IMDG	
Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1993 FLAMMABLE LIQUID, N.O.S., SPECIAL
~	PROVISION 640D (ISOPROPANOL (ISOPROPYL
	ALCOHOL), PENTANES), 3, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

 \cdot Named dangerous substances - ANNEX I $\,$ None of the ingredients is listed.

· Seveso category P5c FLAMMABLE LIQUIDS

• Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

GB

Version: 4

Revision: 11.05.2022

Trade name: Brush Cleaner

Printing date 11.05.2022

(Contd. of page 8)

SECTION 16: Other information This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Relevant phrases H225 Highly flammable liquid and vapour. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361f Suspected of damaging fertility. H373 May cause damage to organs through prolonged or repeated exposure. H411 Toxic to aquatic life with long lasting effects. · Department issuing SDS: Section Product Safety \cdot Contact: Lars Köppling Email: l.koeppling@kryolan.com · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Repr. 2: Reproductive toxicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard - Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3 • * Data compared to the previous version altered.