

Printing date 06.02.2023 Version: 3 Revision: 06.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Kryolan All Clear

· Article number: 06038, 06040

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture

make-up artist supplies

Organic solvent

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Kryolan Australia

86 Woodlands Drive

Braeside VIC 3195

Australia

Tel: 61 3 9580 8122

Further information obtainable from:

Section Product Safety

info@kryolan.de

· 1.4 Emergency telephone number:

03 9580 8122

## SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Eye Irrit. 2 H319 Causes serious eye irritation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the Globally Harmonised System (GHS). The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms





GHS02

GHS07

- · Signal word Danger
- · Hazard-determining components of labelling: Acetone
- · Hazard statements

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

(Contd. on page 2)

Trade name: Kryolan All Clear

|                     | (Contd. of page 1)   |
|---------------------|--|
| Precautionary state | ements   |
| P101                | If medical advice is needed, have product container or label at hand.  |
| P102                | Keep out of reach of children.   |
| P103                | Read carefully and follow all instructions.  |
|                     | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.                                   |
| P240                | Ground and bond container and receiving equipment.   |
| P241                | Use explosion-proof [electrical/ventilating/lighting] equipment.   |
| P243                | Take action to prevent static discharges.  |
| P280                | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.                                    |
|                     | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].                         |
|                     | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313           | If eye irritation persists: Get medical advice/attention.  |
|                     | In case of fire: Use CO2, powder or water spray to extinguish.   |
| P403+P235           | Store in a well-ventilated place. Keep cool.   |
| P501                | Dispose of contents/container in accordance with local/regional/national/international regulations.                              |

#### · Additional information:

Product contains: Reportable explosives precursors. Making available, introduction, possession and use according to Regulation (EU) 2019/1148, Article 9.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

| Dangerous components:   |   |         |
|---|---|---------|
| CAS: 64-17-5<br>EINECS: 200-578-6<br>Index number: 603-002-00-5 | ethanol Flam. Liq. 2, H225 Eye Irrit. 2, H319                       | 10-30%  |
| CAS: 67-64-1<br>EINECS: 200-662-2<br>Index number: 606-001-00-8 | acetone  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336    | 10-<20% |
| CAS: 67-63-0<br>EINECS: 200-661-7<br>Index number: 603-117-00-0 | 2-Propanol  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336 | 5-<10%  |
| · Not dangerous substances:                                     |   |         |
| CAS: 110-27-0<br>EINECS: 203-751-4                              | isopropyl myristate   | 30-60%  |
| CAS: 78-93-3<br>EINECS: 201-159-0<br>Index number: 606-002-00-3 | butanone  Flam. Liq. 2, H225  Eye Irrit. 2, H319; STOT SE 3, H336   | 0.1-<1% |

· Additional information: For the wording of the listed hazard phrases refer to section 16.

Printing date 06.02.2023 Version: 3 Revision: 06.02.2023

Trade name: Kryolan All Clear

(Contd. of page 2)

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

Wash off with water and soap.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Seek medical treatment in case of complaints.

Purge mouth and drink plenty of water in small swallows. Do not force vomiting

· 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

no special conditions required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly.
- Information about fire and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

(Contd. on page 4)

*Printing date 06.02.2023 Version: 3 Revision: 06.02.2023* 

Trade name: Kryolan All Clear

(Contd. of page 3)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

| · Ingredients with limit values that re | quire monitorin | g at the workplace |
|---|-----------------|--------------------|
|---|-----------------|--------------------|

#### 64-17-5 ethanol

WEL Long-term value: 1920 mg/m³, 1000 ppm

#### 67-64-1 acetone

WEL Short-term value: 3620 mg/m³, 1500 ppm Long-term value: 1210 mg/m³, 500 ppm

#### 67-63-0 2-Propanol

WEL Short-term value: 1250 mg/m³, 500 ppm Long-term value: 999 mg/m³, 400 ppm

- · Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

*Printing date 06.02.2023 Version: 3 Revision: 06.02.2023* 

Trade name: Kryolan All Clear

(Contd. of page 4)

· Eye protection:



Tightly sealed goggles

| SECTION 9: Physical and chemic                                  | cal properties  |
|---|---|
| 9.1 Information on basic physical and ch                        | <u> </u>  |
| 9.1 Injormation on basic physical and ch<br>General Information | temicai properties  |
| Appearance:   |   |
| Form:   | Fluid   |
| Colour:   | According to product specification  |
| Odour:  | Characteristic  |
| Odour threshold:  | Not determined.   |
| pH-value at 20 °C:  | 5-6   |
| Change in condition   |   |
| Melting point/freezing point:                                   | Undetermined.   |
| Initial boiling point and boiling range:                        | 55.8-56.6 °C  |
| Flash point:  | <-18 °C   |
| Flammability (solid, gas):                                      | Highly flammable.   |
| Decomposition temperature:                                      | Not determined.   |
| Auto-ignition temperature:                                      | Product is not selfigniting.  |
| Explosive properties:   | Product is not explosive. However, formation of explosive a vapour mixtures are possible. |
| Explosion limits:   |   |
| Lower:  | 2.6 Vol %   |
| Upper:  | 15 Vol %  |
| Vapour pressure at 20 °C:                                       | 233 hPa   |
| Density at 20 °C:   | 0.81937-0.81938 g/cm³   |
| Relative density  | Not determined.   |
| Vapour density  | Not determined.   |
| Evaporation rate  | Not determined.   |
| Solubility in / Miscibility with                                |   |
| water:  | Fully miscible.   |
| Partition coefficient: n-octanol/water:                         | Not determined.   |
| Viscosity:  |   |
| Dynamic:  | Not determined.   |
| Kinematic:  | Not determined.   |
| Solvent content:  |   |
| Organic solvents:   | 50.4 %  |
| VOC (EC)  | 50.41 %   |
| Solids content:   | 0.0 %   |

(Contd. on page 6)

Trade name: Kryolan All Clear

(Contd. of page 5)

· 9.2 Other information

No further relevant information available.

## SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

### SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

2D -

*Printing date 06.02.2023 Version: 3 Revision: 06.02.2023* 

Trade name: Kryolan All Clear

(Contd. of page 6)

## SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

| SECTION 14: Transport information              |  |
|--|--|
| 14.1 UN-Number<br>ADR, IMDG, IATA              | UN1993   |
| 14.2 UN proper shipping name<br>ADR            | 1993 FLAMMABLE LIQUID, N.O.S. (ACETO)  |
| IMDG   | ETHANOL (ETHYL ALCOHOL)), special provision 64<br>FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHAN<br>(ETHYL ALCOHOL)) |
| IATA   | FLAMMABLE LIQUID, N.O.S. (ACETONE, ETHANO  |
| 14.3 Transport hazard class(es)                |  |
| ADR, IMDG, IATA                                |  |
| Class<br>Label                                 | 3 Flammable liquids.   |
| 14.4 Packing group<br>ADR, IMDG, IATA          | II   |
| 14.5 Environmental hazards:                    | Not applicable.  |
| 14.6 Special precautions for user              | Warning: Flammable liquids.  |
| Hazard identification number (Kemler code):    | 33   |
| EMS Number:<br>Stowage Category                | F-E, <u>S-E</u><br>B   |
| 14.7 Transport in bulk according to Annex II o |  |
| Marpol and the IBC Code                        | y<br>Not applicable.   |
| Transport/Additional information:              |  |
| ADR  |  |
| Limited quantities (LQ)                        | 1L   |
| Excepted quantities (EQ)                       | Code: E2   |
|  | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml            |
| Transport category Tunnel restriction code     | 2<br>D/E   |

GP GP

Printing date 06.02.2023 Version: 3 Revision: 06.02.2023

Trade name: Kryolan All Clear

(Contd. of page 7)

| · IMDG<br>· Limited quantities (LQ)<br>· Excepted quantities (EQ) | 1L<br>Code: E2  |
|---|---|
|   | Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 500 ml |
| · UN "Model Regulation":  | UN 1993 FLAMMABLE LIQUID, N.O.S. (ACETONE,<br>ETHANOL (ETHYL ALCOHOL)), 3, II                       |

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Section Product Safety
- · Contact:

\_

Lars Köppling

Email: l.koeppling@kryolan.com

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* \* Data compared to the previous version altered.