

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: Silicone Adhesive remover SH

· Article number: 06531,06532,06533,06534,06535

#### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : At present we are still no information on the uses identified before.

Substance/Mixtur In the presence of these data are included in the MSDS.

Recommended : At present we have no information prior to the use restrictions.  
restrictions on use In the presence of these data are included in the MSDS.

· Application of the substance / the mixture Remover

#### · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

*Kryolan Australia Pty Ltd*

· 86 Woodlands Drive, Braeside

· Victoria 3195

· Tel: +61 3 9580 8122

· Fax: 03 9580 7074

· Email: [sales@kryolan.com.au](mailto:sales@kryolan.com.au)

· Web: [www.kryolan.com.au](http://www.kryolan.com.au)

· Emergency Contact: +61 3 9580 8122 / +61419586 189

### SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 2 H225 Highly flammable liquid and vapour.



GHS08 health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



GHS09 environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H332 Harmful if inhaled.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

#### · 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 1)

**Hazard pictograms**


GHS02   GHS07   GHS08   GHS09

**Signal word** *Danger*
**Hazard-determining components of labelling:**
*Naphtha (petroleum), heavy alkylate*
*Naphtha (petroleum), hydrotreated light*
**Hazard statements**

 H225      *Highly flammable liquid and vapour.*

 H302+H332      *Harmful if swallowed or if inhaled.*

 H315      *Causes skin irritation.*

 H336      *May cause drowsiness or dizziness.*

 H304      *May be fatal if swallowed and enters airways.*

 H411      *Toxic to aquatic life with long lasting effects.*
**Precautionary statements**

 P102      *Keep out of reach of children.*

 P210      *Keep away from heat/sparks/open flames/hot surfaces. - No smoking.*

 P243      *Take precautionary measures against static discharge.*

 P273      *Avoid release to the environment.*

 P301+P310      *IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.*

 P303+P361+P353      *IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.*







 P391      *Collect spillage.*

 P403+P235      *Store in a well-ventilated place. Keep cool.*

 P501      *Dispose of contents/container in accordance with local/regional/national/international regulations.*
**Additional information:**
*Keep out of the reach of children*
**2.3 Other hazards**
**Results of PBT and vPvB assessment**
**PBT:** *Not applicable.*
**vPvB:** *Not applicable.*

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**
**Description:** *Solvent mixture*
**Dangerous components:**

CAS: 64742-49-0 EINECS: 265-151-9	<i>Naphtha (petroleum), hydrotreated light</i>  <i>Flam. Liq. 2, H225</i>  <i>Asp. Tox. 1, H304</i>  <i>Aquatic Chronic 2, H411</i>  <i>Skin Irrit. 2, H315; STOT SE 3, H336</i>	20-30%
CAS: 64741-65-7 EINECS: 265-067-2	<i>Naphtha (petroleum), heavy alkylate</i>  <i>Flam. Liq. 3, H226</i>  <i>Asp. Tox. 1, H304</i> <i>Aquatic Chronic 4, H413</i>	70-80%

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 2)

· **Additional information:** For the wording of the listed risk phrases refer to section 16.

#### **SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:**

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

· **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

· **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

· **After swallowing:**

Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

· **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

#### **SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

· **For safety reasons unsuitable extinguishing agents:** Water with full jet

· **5.2 Special hazards arising from the substance or mixture**

Carbon monoxide (CO)

Can form explosive gas-air mixtures.

· **5.3 Advice for firefighters**

· **Protective equipment:**

Wear fully protective suit.

Wear self-contained respiratory protective device.

· **Additional information** Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

· **6.1 Personal precautions, protective equipment and emergency procedures**

Keep away from ignition sources.

Wear protective equipment. Keep unprotected persons away.

· **6.2 Environmental precautions:**

Prevent seepage into sewage system, workpits and cellars.

Inform respective authorities in case of seepage into water course or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

See Section 13 for disposal information.

(Contd. of page 3)

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
 Keep away from heat and direct sunlight.  
 Keep receptacles tightly sealed.  
 Ensure good ventilation/exhaustion at the workplace.  
 Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
 Fumes can combine with air to form an explosive mixture.  
 Keep ignition sources away - Do not smoke.  
 Protect against electrostatic charges.  
 Use explosion-proof apparatus / fittings and spark-proof tools.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:**  
 Store away from foodstuffs.  
 Do not store together with acids.  
 Store away from oxidizing agents.  
 Do not store together with alkalis (caustic solutions).
- **Further information about storage conditions:**  
 Keep container tightly sealed.  
 Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

**64741-65-7 Naphtha (petroleum), heavy alkylate**

WEL Long-term value: 1920 mg/m<sup>3</sup>, 1000 ppm

**64742-49-0 Naphtha (petroleum), hydrotreated light**

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm

Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

- **Additional information:** The lists valid during the making were used as basis.

- **8.2 Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- **Respiratory protection:**

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

(Contd. on page 5)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 4)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

## SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Fluid

**Colour:** Clear

· **Odour:** Characteristic

· **Change in condition**

**Melting point/Melting range:** -50 °C

**Boiling point/Boiling range:** 45-62 °C

· **Flash point:** -30 °C

· **Ignition temperature:** 200 °C

· **Self-igniting:** Product is not selfigniting.

· **Danger of explosion:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

· **Explosion limits:**

**Lower:** 0.8 Vol %

**Upper:** 8 Vol %

· **Vapour pressure at 20 °C:** 330 hPa

· **Density at 20 °C:** 0.65 g/cm<sup>3</sup>

· **Solubility in / Miscibility with water:**

Not miscible or difficult to mix.

(Contd. on page 6)

**Safety data sheet**  
 according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 5)

- **Solvent content:**
- Organic solvents:** 90-100 %
- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity**
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions**  
 Reacts with acids, alkalis and oxidising agents.  
 Reacts with alkaline metals.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**

- **LD/LC50 values relevant for classification:**

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

#### 64741-65-7 Naphtha (petroleum), heavy alkylate

Oral	LD50	> 6000 mg/kg (rat)
Dermal	LD50	> 3000 mg/kg (rabbit)
Inhalative	LC50/4 h	> 7.8 mg/l (rat)

#### 64742-49-0 Naphtha (petroleum), hydrotreated light

Oral	LD50	2000 mg/kg (rat)
------	------	------------------

- **Primary irritant effect:**
- **Skin corrosion/irritation** Irritant to skin and mucous membranes.
- **Serious eye damage/irritation** Irritating effect.
- **Respiratory or skin sensitisation** No sensitising effects known.
- **Additional toxicological information:**  
 The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:  
 Irritant

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Toxic for fish

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**




(Contd. of page 6)

- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.  
Also poisonous for fish and plankton in water bodies.  
Toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
  - **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
  - **European waste catalogue**
- |           |  |
|-----------|--|
| 07 01 04* | other organic solvents, washing liquids and mother liquors |
|-----------|--|
- **Uncleaned packaging:**
  - **Recommendation:** Disposal must be made according to official regulations.
  - **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

**SECTION 14: Transport information**

- |   |   |
|---|---|
| · <b>14.1 UN-Number</b><br>· <b>ADR, IMDG, IATA</b>                                 | 1993  |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR</b><br><br>· <b>IMDG, IATA</b>    | 1993 FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, Naphtha (petroleum), hydrotreated light)<br><br>FLAMMABLE LIQUID, N.O.S. (Naphtha (petroleum), hydrotreated heavy, Naphtha (petroleum), hydrotreated light) |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR</b>                            |   |
|  |    |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids.<br>3   |
| · <b>IMDG, IATA</b>   |   |
|  |   |
| · <b>Class</b><br>· <b>Label</b>  | 3 Flammable liquids.<br>3   |

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 7)

· <b>14.4 Packing group</b> · <b>ADR, IMDG, IATA</b>	<i>II</i>
· <b>14.5 Environmental hazards:</b> · <b>Marine pollutant:</b> · <b>Special marking (ADR):</b>	<i>No</i> <i>Symbol (fish and tree)</i>
· <b>14.6 Special precautions for user</b> · <b>Danger code (Kemler):</b> · <b>EMS Number:</b>	<i>Warning: Flammable liquids.</i> <i>33</i> <i>F-E,S-E</i>
· <b>14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	<i>Not applicable.</i>
· <b>Transport/Additional information:</b>	
· <b>ADR</b> · <b>Limited quantities (LQ)</b> · <b>Transport category</b> · <b>Tunnel restriction code</b>	<i>LQ4</i> <i>2</i> <i>D/E</i>
· <b>UN "Model Regulation":</b>	<i>UN1993, FLAMMABLE LIQUID, N.O.S., 3, II</i>

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **National regulations:**
- **Information about limitation of use:**  
*Employment restrictions concerning juveniles must be observed.*  
*Employment restrictions concerning pregnant and lactating women must be observed.*
- **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**  
*H225 Highly flammable liquid and vapour.*  
*H226 Flammable liquid and vapour.*  
*H304 May be fatal if swallowed and enters airways.*  
*H315 Causes skin irritation.*  
*H336 May cause drowsiness or dizziness.*  
*H411 Toxic to aquatic life with long lasting effects.*  
*H413 May cause long lasting harmful effects to aquatic life.*
- **Department issuing MSDS:** *Section Product Safety*
- **Contact:** *Mr.Liith*
- **Abbreviations and acronyms:**  
*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*  
*IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*  
*ICAO: International Civil Aviation Organisation*  
*ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*  
*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*IATA: International Air Transport Association*

(Contd. on page 9)



**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 19.08.2018

Version: 4

Revision: 19.08.2018

**Trade name: Silicone Adhesive remover SH**

(Contd. of page 8)

*GHS: Globally Harmonised System of Classification and Labelling of Chemicals**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**Flam. Liq. 2: Flammable liquids, Hazard Category 2**Flam. Liq. 3: Flammable liquids, Hazard Category 3**Acute Tox. 4: Acute toxicity, Hazard Category 4**Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2**STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3**Asp. Tox. 1: Aspiration hazard, Hazard Category 1**Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2**Aquatic Chronic 4: Hazardous to the aquatic environment - Chronic Hazard, Category 4*

GB